



The Bahamas Maritime Authority

BC Service Group

Equipment	Type, Series or Range	Manufacture
Lifeboat	TELB, PELB, FRB	ACEBI
Davit	RAD, SPG, AF, TP, FE, FEM	ACEBI
Winch	TE, TR, TBE	ACEBI
Hook	BHR	BADA HI
Davit	BDF, BDH, BDR	BADA HI
Winch	BWL, BRW, BHI, FHW, PWD	BADA HI
Davit	PF, PFH, PFL, PFD	BERETTA
Winch	SPT	BERETTA
Lifeboat	PE, PET, FR, APERTA, TDL	BIANCHI & CECCHI
Hook	U-HOOK, U-ARH, G9/12	BIANCHI & CECCHI

- The equipment listed above should be understood as:
 - Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Hook	RH, OLH, ALH, Off-Load	DAVIT INTERNATIONAL
Davit	D-NP.SP, D-NP.MP, D-NPS, D-BR, D-RT, D-F, D-FG, D-FH, C-FS, D-CR, D-RC, D-BC, D-FO, D-ND, D-TTS.R	DAVIT INTERNATIONAL
Winch	01., 02., 03., 04., 06., 07., 12., 14., 18., 26., 34., 40., 63.	DAVIT INTERNATIONAL
Davit	DHG, DHGD, DLRD, DRBD, DNRD, D-SAD	DONGNAM MARINE
Winch	HGW, DHGD, DLBW, DRLD, LRHW, DRBD, DSAD	DONGNAM MARINE
Davit	DWS	DONGWOO
Winch	DWS, LW, RW	DONGWOO
Lifeboat	DSB 420	DSB
Lifeboat	MOB	ESVAGT
Lifeboat	GAR, CFL, GMR, Dragon, CL/CLR, SEL, PL, RR, FRR	FASSMER

- The equipment listed above should be understood as:
 - Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Hook	DUPLEX, FRR, FOH	FASSMER
Davit	FOD, FHD, FSAH, FSAR, FPD, FMPD	FASSMER
Winch	DEW	FASSMER
Lifeboat	G-FFF, G-FK, G-FYK, G-F, G-RB, G-FRB	GEPA
Hook	HR, HRN, HRL	GLOBAL DAVIT
Davit	RMS, FHS, RHP, RHS, RMES, RSP, LMS, LMES, LML, RML, RHL, GSP, GLP	GLOBAL DAVIT
Winch	W	GLOBAL DAVIT
Lifeboat	RB, PEL, TEL, FFL	GREBEN
Davit	HD, HFF, RLC, PD, FOD	GREBEN
Winch	EW	GREBEN
Lifeboat	GFF, GSL, PEL, PL, FRB, RB	HATECKE

1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Hook	DUPLEX, SIMPLEX	HATECKE
Davit	FFA, FFB, GSP.SP	HATECKE
Winch	07.02.08, 10.01	HATECKE
Davit	GD-FFD, GD-RRS, GD-KHK	GÜRDESAN
Winch	FLW-1, KV	GÜRDESAN
Lifeboat	HDFL, HDL, HD, HDFN, HDR	HYUNDAI
Davit	FF	HYUNDAI
Hook	TALON	HYUNDAI
Hook	HCH, HMK	HENRIKSEN
Davit	HL6D	HYDRALIFT
Davit	H	IKNOW (TSUJI)
Winch	EB	IKNOW (TSUJI)

1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Lifeboat	GJ, JY-FN, JY-FF, JY-QFP, JY-QFN, JY-BF, JY-SB, JY-K	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Davit	JYL, JYR, JYF	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Winch	JYW, JYRZ, FW	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Hook	JX	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Lifeboat	NPT-F, NPT-C, NPT-FF, NPT-FC, NPT- R, NPT-RA, NPT-RB, NPT-P, NPT-PT	JIANGYIN NEPTUNE
Davit	NPT-DF, NPT-DL, NPT-DR	JIANGYIN NEPTUNE
Winch	NPT-DW, NPT DW-S	JIANGYIN NEPTUNE
Lifeboat	JY-KR, JY-FF, JY-CA, JY-FA, JY-C, JY- F, JY-CF, JY-DR, JY-P, JY-K	JIANGYIN WOLONG
hook	LB-MR, LB-MRS	JIANGYIN WOLONG
Davit	JY-LE, JY-PL, JY-HE, JY-RE, JY-GL, JY-LRHE, JY-HSR	JIANGYIN WOLONG

1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Winch	JY-D, JY-DP	JIANGYIN WOLONG
Lifeboat	JYB-FC, JYB-C, JYB-F, SC-KR, JYB-Q, JYB-FF, JYB-FG, JYB-K, JYB-B, JYB-G, JYB-R, JYB-KR	JIANGYINSHI BEIHAI
Hook	HK	JIANGYINSHI BEIHAI
Davit	FA, SA, SAC	JIANGYINSHI BEIHAI
Winch	D, DW	JIANGYINSHI BEIHAI
Hook	ROCLOC	MAD ROCK
Hook	DROP IN BALL	NADRIO
Davit	EH, EV, ET, M, CM, EHR, S, RD, R, SR, EBD, EM, D-FH, MFH, MVD	MANSEI (MIURA)
Winch	EW, MW, CMW, SW, 06.05.02	MANSEI (MIURA)
Hook	RH-3	MANSEI (MIURA)
Davit	Navigation 's 1.2	NAVIGATION'S

- The equipment listed above should be understood as:
 - Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Hook	ARH, R.H.3000	NAVALIMPIANTI
Davit	FOLS, SPSTD, SPTD, LT, NT, SRR, UDR, UDSP, SGSHD, SGHD, SPHD, GDMP, GDET, NPS, FRB, NHRB	NAVALIMPIANTI
Winch	04, 08, 2-22, 2-38, 2,58, 3-38, 3-58 DG.HW, EWTHB, EW, EWR, REW, RBEW, RMW, SDHW, EHW, DG-EHW,HW	NAVALIMPIANTI
Davit	A.C	NINGBO KAIRONG
Winch	Hydraulic, Electric	NINGBO KAIRONG
Lifeboat	FF, CML, G-CFR	NISHI-F (ISHIHARA)
Lifeboat	GES, JYN, MIRIAN, MINIMA, MAGGIE, MAXIMA, MATRIX, MIDGET, MERLIN, MAKO, MAGNUM, MAYA, MK V, MOB, MINA	NORSAFE (Viking)
Hook	TOR, HK, K4-FM	NORSAFE (Viking)
Davit	NDA, HD, NDSC, NRC	NORSAFE (Viking)

- The equipment listed above should be understood as:
 - Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Winch	HD, DW	NORSAFE (Viking)
Davit	HGD, SHS, FD, RD	ORIENTAL
Winch	BWE, SWE, FFL, RDW, RDM	ORIENTAL
Lifeboat	Type B, PELB, SPURT, RIBSEA, FRB, MR, MPC, TECB, CTL, FF, KISS, LBF, LBT, MCB, RSQ, FRSQ, MOB, ML, 361, 363, 372, 374, 378, 382, 391, 393, 650, 7.50	PALFINGER (SHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR)
Hook	ARH, CAR, RRH, LRH, TITAN, TOR, H-86, 50-85-100, RH 1.5	PALFINGER (SHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR)
Davit	LT, MP, NT, SAP, ST, SAT, LA, PD, RSD, SPLCH, SPLDH, SRR, 21/14, UDSP, UNIC, UDR, GT, HT, MT, VIP, SA, HD, SPLC, PRH, DR, MOB, 06-2, FREE FALL GRAVITY, SP MOB, NDP, HSC	PALFINGER (SHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR)

1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Winch	04, 08, 0-13, 1-13, 2-22, 2-38, 2-58, 3-38, 3-58 BE, W, CW, LW, TW, EW, WP, WL, FME, HD/W, HPL, FD, HW CT, 8 KNT, 16 KNT, 30 KNT, EB, EBR, RW	PALFINGER (SHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR)
Lifeboat	BH, BH-F, BH-R, BH-HR	QINGDAO BEIHAI
Hook	BG	QINGDAO BEIHAI
Davit	BD-FF, BD-SA, BD-SH, BD-PV	QINGDAO BEIHAI
Winch	BW-LL, BW-SM, BW-HL, BW-HR	QINGDAO BEIHAI
Davit	RLC, SAR	PELLEGRINI
Hook	GRA	PELLEGRINI
Winch	EW	PELLEGRINI
Lifeboat	BSL, BR	PESBO
Lifeboat	SZ-BR, SZ-TR, FEL, VOX	SHIGI
Hook	SRS, SZK	SHIGI

1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Davit	SHS, D-RT, SFS, SJR, SJS, SFC	SEKIGAHARA
Winch	SWE	SEKIGAHARA
Hook	HS, HL, HLR	SEZAMOR
Davit	ZZ-ZOT, ZZ-ZOL, ZZ-ZOLT	SEZAMOR
Winch	WT, WL, WLT	SEZAMOR
Lifeboat	TL	TSUNEISHI
Lifeboat	VG	VANGUARD
Davit	CL, PL	VESTDAVIT
Winch	C, P	VESTDAVIT
Davit	Liferaft slewing davit, Rescue slewing davit	WOO IL
Winch	Manual winch, Electric winch	WOO IL
Hook	TRIPLE 5	SURVIVAL SYSTEM INTERNATIONAL

- The equipment listed above should be understood as:
 - Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - Winch: Any winch types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. If evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Hook	Safelaunch	SURVITEC (MADROCK)
Davit	Gravity luffing arm	WUXI DONGWU
Winch	D-S	WUXI DONGWU
Lifeboat	HH-FC, HH-FF, HH-C, HH-T, GJ, BH	WUXI HAIHONG
Davit	HMD	WUXI HUAHAI
Winch	HMW	WUXI HUAHAI
Hook	WHK, 15KN, 21-25KN, 31-37KN	WUXI MINGZI
Hook	15KN, 21KN, 23KN, 25KN, 35KN	WUXI XINGSHENG
Davit	YNHD, YNBD	YOUNGNAM
Hook	YNBW	YOUNGNAM
Lifeboat	YH-FRA, YH-FRB, YH-R, YH-DR, YH-QFP, YH-QFN, YH-FP, YH-FN	ZHENJIANG MARINE
Davit	HE, RE, LE, GL, PL, LFR, FH	ZHENJIANG MARINE

1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation



The Bahamas Maritime Authority

Winch	D, DP	ZHENJIANG MARINE
Winch	4.2, ZR, ZHP	ZOLLERN
Lifeboat	RIBO	Zodiac



The Bahamas Maritime Authority

- The equipment listed above should be understood as:*
 - Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.*
 - Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.*
 - Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.*
 - Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.*
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.*
- When a subcontractor is acting as an independent company on behalf of a BASP, the attending sub-contractor shall be also listed and included on the original BASP Certificate of Authorisation*