

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	BDF, BDH, BDR, BDTD, BDHP, BDTW, BDRW, BDM, BFOD, HDFL, HDF, BDA, BDFA, BDL, BHI, BLR, DRM, BRBD	BADA HI
Winch	BWL, BRW, BAW, BLW, BMW, BWR, DRM, FHW, DRBW	
Release Gear	BHA, BHR	
Launching Appliances	Manually operated Davits up to 700kg SWL, electrically operated rescue Boat davits 800Kg to 3100Kg SWL, Electro-hydraulically operated rescue boat davits up to 3000Kg SWL	BHAWANI ENGINEERING WORKS
Launching Appliances	WUND 100-12M	CHENG DAY MACHINERY WORKS
Launching Appliances	C-F, C-L, C-S, D-F, D-TF, D-FH/FG, D-RT, D-FO, D-NP, D-NP.SP, D-BC, D-BR, D-CL, D-CR, D-NPS.SP, D-SR, D-NPS.MP, D-RTT, D-RC, D-CRm.FR, D-CRm.MOR, D-NPS.FR, D-CRm.R.FR, D-WP, D-FP, D-ND, D-TT, FFLB, D-RB, D-NP.MP	DAVIT INTERNATIONAL
Release Gear	RH, OLH, OLRH	
Launching Appliances	DWS, LRDS, RBDS, RB	DONGWOO MACHINERY & CRANES
Winch	DWS, LRDS, RBDS	
Survival Crafts	GAR, CFL, CFL-T, CFL-C, GMR, SEL, RR, FR, FRR, FRIR, TGMR, CLR-C, CLR-T, CL-C, CL-T, CLX, GAT-T, GAR-T, CL-P, TL, SEL, SEL-T, SEL-RT, SEL-R, SFB, RIR, PLL, PLT	FASSMER
Launching Appliances	FOD, FHD, FSAH, FPD, FFH, FLR, FSAR, FSARR, FMAH, FHDY, FFD, FMPD, FOSV, FRC	
Winch	DEW, FWD	
Release Gear	DUPLEX, FFRU, FOH	
Launching Appliances	RMS, FHS, RHP, LMS, GSP	GLOBAL DAVIT
Winch	RMS, FHS, RHP, LMS, GSP	
Survival Crafts	GFF, GFF-T, GSAR, GSL, GSL-T, RB-AB, RB-AB/DUPLEX, RB-AB-FH, RB-IB, RB-FRB AB FH	HATECKE
Launching Appliances	FFA, FFB, GSPFp, GSP.O, W, CXP.FLH	
Release Gear	DUPLEX, SIMPLEX, GFF-R	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	HS, SO, SM, FO, FM	HOEI SENPAKU
Survival Crafts	HDFL, HDL, HD, HDFN, HDR, HLB, HDF, HDFR	HYUNDAI
Release Gear	TALON, THP	
Launching Appliances	HYPAKRBD15-35S	HYPAC
Winch	HYPAKRBD15-35S	
Launching Appliances	H, T, TC	IKNOW (TSUJI)
Winch	EB, TC, OAP	
Survival Crafts	GF, GTR, GTC, GT, MU-FN, MU-FF, MU-HN, S, G, MU-GJ	JAPAN MARINE UNITED (JMU)
Launching Appliances	MUL, MUF, MUR	
Winch	MUW, MUL	
Survival Crafts	SC, JYB	JIANGYINSHI BEIHAI
Launching Appliances	SM, SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD	
Release Gear	JYBHK	
Survival Crafts	GJ, JY-FN, JY-FF, JYM-FN, JYM-FF, JY-QFP/N	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Launching Appliances	JYL, JYF, JYP, JYR, JYRC, JYRH	
Winch	JYW, JYWP	
Release Gear	JX, JXN	JIANGYIN WOLONG
Survival Crafts	JY-KR, JY-CA, JY-CB, JY-FA, JY-C, JY-F, JY-CF, JY-P, JY-K, JY-CE	
Launching Appliances	JY-LE, JY-PL, JY-GL, JY-LRHE, JY-HSR, JY-FH, JY-SAF, JY-FCR, JY-PLR, JY-LFR, JY-SAP, JY-TBD, JY-GYE	
Winch	JY-D, JY-DP, JY-SAP, JY-SAFC, JY-SAF, JY-LRHE, JY-PLR, JY-LFR, JY-DW	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	NM, NML	NINGBO NEW MARINE LIFESAVING EQUIPMENT
Launching Appliances	NMSD, NM, NMC, NMAR, NMD, NMF, PD, HLA, HTA	
Winch	NMW	
Survival Crafts	G, ML, F	NISHI-F (ISHIHARA)
Launching Appliances	HGD, HGK, SHS, RTD, DHA, DMA, FD, RD, BWE, SWE, WL, RDW	ORIENTAL
Winch	BWE, SWE, WL, RD, RDW	
Survival Crafts	RB-HRB, TECB, FRSQ, PB, RSQ, CRV, CTL, FF, RRB-FRB, JYF, KISS, LBF, LBP, LBT, MCB, ML, MPC, STINGER, PELB, PERB, PTL, TELB, LBT-CT, RB/FRB, MS, MC, MCA, MCD, MCF, MCH, MCM, MCO, MCR, WFF, PE, CR, FM, MK-I, MK-V, OPEN-AX, MHW, EL, OPEN, TENDER, HRL	PALFINGER (SCHAT HARDING, HARDING, WATERCRAFT, MULDER&RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SCHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR, SEC, NORMAT)
Launching Appliances	DC, DR, HSC, MOB-B, MOB-L, FRD, GDP, GP, RTD, SAH SAR, BW, FAD, JYL, JYHG, JYLR, JYP, JYR, LA, LAR, MOB, NPD, NPD, NPDS, NPDW, NRD, NRDS, NRDW, NRD, NRDS, NTD, NTDS, PD, RA, VIP, 20/22/24/26/28/30, B, FR, GPD, GR, S, SPD, SPR, FPG, FPR, GRT, GT, HOTT, HPLG, LPLG, PBR, PFH, PLG, PRH, PRHE, PRHH, SCD, SCH, SCHD, SCHF, SCM, SCMF, SFD, SP, SWTC, TOC, NPDT, HCT, FPR-H, PBR, SCMLP, SCMT, FL, FR.P.SP, HD, HDW, HPL, HRD, NDP, NT, PAR, SPLC, SPMOB, SRR, UDR, UDSP, BRIDGE, DDP, FDA, FDAR, FFDA, FFDP, FFLS, FFND, FFNT, FFSS, HFFS, HHA, HP, LT, MP, ND, NTP, SAHL, SAHP, SAP, SAT, SDAL, SDAR, SHD, SPHC, SRL, ST, STP, UDS-H, UFDA, VEHCL, FFD, HF, LD, ORD, MRT, MRD, WOD, WP, WRG, GD, GAN, GP, GPD, HAS, MIR, HT, OF	
Winch	KNT, DEW, GEHL, CCW, CW, JYFW, JYW, NW, 08, H/M/G, RH, USW, WH, 04-03, 04-04, 15-01/02/03/40, BWF, HWCT, NRW, 15-01/02/03/06, 0-13, 1-13, 2-22, 2-38, BHY, BO, EWPL, FM, FME, RSD, RT, 08EC/EM/YH, 0-22, 0-38, 08-40, 1-38, 16, 22, 24, 2-58, 3-13, 3-22, 3-38, 3-58, 3-70, 38, GH, TMW, WAR, FME, ES, WL	
Release Gear	LH, ARH, JX, KH, LHR, RRH, CAR, ARB, FF, H, PATENT, ATLAS, EMPRESS, TITAN, TITAN FF, SPARTAN, DEVESER, F-AB	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	BH, BH-R, BH-F	QINGDAO BEIHAI
Launching Appliances	BD-FF, BD-SA, BD-PV	
Winch	DW-H	
Release Gear	BG, BH-HOOK, 21KN, 23KN, 35KN, FS	SEKIGAHARA SEISAKUSHO
Launching Appliances	SHS, SH, STS, SSS, SFS, SFA, SFB, SFC, SFD, SJS, SJR	
Winch	SWE	
Launching Appliances	GRAVITY LUFFING ARM DAVIT:14KN/25KN/50KN/60KN/90KN/100KN/120KN, GRAVITY SLIDING TRACK DAVIT:15KN/40KN, CROSS DECK GRAVITY SLIDING TRACK DAVIT: 30KN/110KN, PLATFORM DAVIT: 48KN/110KN, FREE FALL LAUNCHING APPLIANCE: 55KN, 70KN, SINGLE ARM RESCUE DAVIT: 10KN, 14KN, SFTSA10DS, SINGLE ARM RESCUE BOAT/LIFE RAFT LAUNCHING APPLIANCES: 21KN, 25KN, SINGLE ARM RESCUE BOAT/RAFT LAUNCHING & PROVISIONS CRANE: 21KN, HYDRAULIC SLEWING BOAT-RAFT DAVIT: SFT-14KN, FCD3T*10M, 25KN*10M, FAST RESCUE BOAT DAVIT: SFT- AFR25	SHEYANG SAIFUTE MARINE AUXILIARY
Winch	ELE RESCUE BOAT WINCH:25KN, 40KN, D50Z, 63KN, E100R & D100Z, ELE LIFEBOAT WINCH:14KN, 25KN, 40KN, D50S, 63KN, E70L, D100S & E100L	
Survival Crafts	SZ, FEL, GARS, VOX, OPEN	
Survival Crafts	FFB, RIB, Z, T, LRT, P, R, RF	SHIGI
Launching Appliances	HZ, PZ, HUZ	
Winch	HZ	
Release Gear	PX	STOCZNIA USTKA
		T-ISS

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	MATRIX, MERLIN, METIS, MIDGET, MOB, RIB-450, WHFRB, GES, 8,5PE, 11.5PE, EVOLUTION, JYN, MAGGIE, MARIA, MATHILDA, MAUD, MAXIMA, MINA, MINIMA, MIRIAM, MKV, WATERCRAFT 378,	VIKING-NORSAFE (JIANGYIN, JORGENSEN&VIK, WATERCRAFT HELLAS)
Launching Appliances	NDA, NDC, NDSC, NRB, NRC, A, C, D, E, GRA, H, ND-SPG, NDC-L, SPGL, H, HD, SW	
Winch	NW, NWR	
Release Gear	HK, HRS, K4, NFFHNLH, RCH, TOR, 1.6ON-LOAD/OFF-LOAD	
Survival Crafts	GJ, HH	WUXI HAIHONG
Survival Crafts	IRB, SR	DSB
Launching Appliances	HML, HMD	WUXI HUAHAI
Winch	HMW	
Launching Appliances	HE, LE, PL, FH, SAF,SAFC, HDCL, LFR, LFRH	ZHEJIANG MARINE
Launching Appliances	PR, PLR, PRH, MSD, LE, FFH, HSD, VLG, SRH, PLRH, PL,	ZHEJIANG MARINE (DH MARINE / WEST MARINE)
Winch	DW	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.