

Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Davit	APRV/RVD, APRV/RLD, MS07, LRBD-20, SH, ARLD-20P SK-H, ARPV/LD-2050 SK-H	Arim Machinery & Eng

Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Davit	BHP.WC.35/2,6, Fhs, Rms /Rhs /Rhp/Rht/Rsp, Gsp/Glp, Lms/Lhs/Lgp/Rhp.HC/Rhs.HC	Global Davit
Hook	HR.15 & HR.40, HRN.12 & HRN. 28LT, HRL.26	nas

	SERIA	
Equipment	Type, Series or Range	Manufacture
	V	
Davit	D-F, free fall davit only, D-TF & D-FH/FG, free fall davit, D-RT, roller track davit only, D-FO, fixed offshore davit, D-BC, DBR, boat davit, D-RC, DRB, raft handling davit, D-CL, D-CR, D-NPS.SP, D-SR rescue boat davit, D-NP excl D-NP.MP & D-NP.SP normal pivot davit. C-F – crane for free fall, C-S – crane for boat handling	Davit International
Hook	d-i RH series, d-i OLH Series, d-i OLRH Series, Sezamor HS Series, Palfinger ARH & CAR Series, T-ISS PX Series	Davit International Hische

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Equipment	Type, Series or Range	Manufacture
Lifeboat	GFF, GFF-T, GSAR, GSL, GSL-T, PL 11, PL 14, PL 7.6RT, PL 9.7, RB AB, RB AB Duplex, RB AB GH, RB IB, RB/FRM AB FH, RB/FRB IB, RB/FRB IB Duplex	Hatecke
Davit	DFR, DFR PAL, DR, FFA, FFA LP, FFB, Gsp.O, GspFP, Gxp.FLH, W,07, W10, W26	
Hook	Duplex 2.6, Duplex 3.0, Duplex 3.5, Duplex 4.3/4.6, 6.0, GFF-R-10, GFF-R-11, GFF-R-8, FAFTI 2.5, Simplex 2.0 Offload, Simplex 2.0 to Simplex 2.0i, Simplex 3.0, Simplex 4.3, Simplex 6.0	

Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Lifeboat	HD32T/F, HD44T/F, HD60T, HDL65~85CT/F(A), HDL85CNT/F, HDL71CTR/CFRHD, HDL75CTR/CFR, HLB65T/F, HLB105F, HDFL740T/F, HDF25T/F, HDF32T/F, HDFN25T/F, HDFN35T/F, HDR420, HDR475, HDR57, HDFR600, HDFR680	HLB Networks (Hyundai)
Davit	BDH58S, BDH70S, BDH125S, BDTD60P, BDHP95S, BDTW25S, BDRW100S, BDM70S, BDM130S, BDM170S, BFOD90S, HDFL740, HDF25/32t, BDFS25S, BDF35S, BHI- R25, BHI-RD42M, BDR6P, BDR25S, BDR25U, BDR25F, BDR25S, BDA16S, BDA20S, BDA25S, BDA35S, BDL25/35S, BHI-LRD15/20M, BLR20S	
Winch	BAW25RG, BLW25M, BMW82L, BRW25F/S/U, WL40S/U/50S/8S/66S, FHW045, BWR40S/U/50S/58S/66S	
Hook	Talon II4.0/.0T, Talon 9.0T, THP, Talon 4.6T, BHR25S, BHR35F, BHR60F, BHR80F	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- 2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Equipment	Type, Series or Range	Manufacture
Lifeboat	SC, JYB	
Davit	SM,SAC,SA,FA,LB,LA,BHGH,PD,FRH,EHRD,SRH,BHGP,RB,HB,HDC,ESAD	Jiangyin Shi Beihai
Hook	JYBHK Series	~ ~ ~

Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Lifeboat		
Davit	HGD Series, HGK Series, SHS Series, RTD Series, DHA Series, MA Series, FD Series, RD Series	Oriental
Winch	BWE Series, SWE Series, WL Series, RDW Series, WL Series	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- 2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Lifeboat	MC / MCF / MCH / MCM / MCR / MCO / MCD / MCA / R / M / MCB / MCBR / MCBO / MPC / KISS / MOB / MOBL /	PALFINGER
	MOBO / MOBR / CTL / ML/ FF / STINGER, EL / 9.4MKIV /	SCHAT-HARDING
	6.5MKV / 8.5MKV / 7.5MKIV / 37.42FT / 12FT, INSHORE RESCUE BOAT / R6, 6.5 / 7.3 / 7.5 / 8.5 / 9.4 / WFF / PE / MOB / R4.9 / R5 TILLER / R5 CONSOLE / R6 MK II /	(WATERCRAFT)
	RI5 / RI6 / RI22 / RI28 / PR30 / 8.0/ 8.5/ 6.5/ 7.3/ 7.8/ 9.1/ MKI/MK-II/MKIII/XL/R / A/ B/ C/ D/ E/ F/ G/ H/ K/	
NAS MARITAGE	L/ N/ M/ P/ R/ S/ T/ U/ V/ CR.	
Davit	ORD/DHM / 6.5M A-FRAME / WOD / ORD/DM / SA/ORD / ORD/UDM / FRD, WP / SPG/L/VL/H/SP / SAP / GP, 26 / 28 / GRA/ RTD, MIR / MRD / MRT, SAC / SAR, HAS /	
	SPR/ GAN, WRG / WOD / MIRANDA	ทลร
Winch	BE / USW / USMW / BHY / DEW / FME / 55G MKIV, MHW / RMW / TMW / MW / WAR	Δuthor
Hook	ROTTMER / TITAN	Autiloi

Equipment	Type, Series or Range	Manufacture
Lifeboat	MC / MCF / MCH / MCM / MCR / MCO / MCD / MCA / R /	PALFINGER
	M / MCB / MCBR / MCBO / MPC / KISS / MOB / MOBL /	
	MOBO / MOBR / CTL / ML/ FF / STINGER, EL / 9.4MKIV /	SCHAT-HARDING
	6.5MKV / 8.5MKV / 7.5MKIV / 37.42FT / 12FT, INSHORE	
	RESCUE BOAT / R6, 6.5 / 7.3 / 7.5 / 8.5 / 9.4 / WFF /	(WATERMAN)
	PE / MOB / R4.9 / R5 TILLER / R5 CONSOLE / R6 MK II /	
	RI5 / RI6 / RI22 / RI28 / PR30 / 8.0/ 8.5/ 6.5/ 7.3/ 7.8/	
	9.1/ MKI/MK-II/MKIII/XL/R / A/ B/ C/ D/ E/ F/ G/ H/ K/	
	L/ N/ M/ P/ R/ S/ T/ U/ V/ CR.	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Type, Series or Range	Manufacture
TELB / PELB / PERB / PTL / SPURT / Ribsea / FRB / 4.9M	Palfinger
/ 5.5M / 6.0M / 6.5M / 7.0M / 7.3M / 7.6M / 8.0M / 9.0M	
/ 9.45M / 10.0M / 10.5M / 11.0M / 11.15M	Schat-Harding
	(Mulder & Riijke)
	TELB / PELB / PERB / PTL / SPURT / Ribsea / FRB / 4.9M / 5.5M / 6.0M / 6.5M / 7.0M / 7.3M / 7.6M / 8.0M / 9.0M

Make & Type listing		
Type, Series or Range	Manufacture	
BH / BE/ BHY / BA	Palfinger	
	Schat-Harding	
7 Maritin	(Schat Davits)	
	Type, Series or Range	

Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Hook	G-series, ML series, F-series	Palfinger
		Nishi-F and Ishihara

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- 2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Equipment	Type, Series or Range	Manufacture
Davit	DR	Palfinger
		Acta
Davit	PREE / PRH / RHH / SCH / PFH / PFHS / PLG / PBR / SCM / SCH / SCHD	Palfinger
	SCH / SCH / SCH	Ned-Deck Marine
Hook	CAR	
Davit	Н, Т, ТС	Palfinger
Winch	EB, TC, OAP	Iknow Machinery
Davit	SH, SFB, SHS, STS, SSS, SFS, SFA, SFC, SFD, SJS, SJR	Palfinger
	The ballar	Seisakusho

ke & Type listing	
Type, Series or Range	Manufacture
20/22/24TECB / 14RB / 20HRB / UPI000	Palfinger
LH	Schat-Harding Qingdao
	(Beiyang Boatbuilding)
	Type, Series or Range 20/22/24TECB / 14RB / 20HRB / UPI000

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Equipment	Type, Series or Range	Manufacture
Davit	HD/FL / HD/FLI / HD/RT / HD/SA / HD/SPG / UNIC / HD/VIP / LA/SA/ RSD / FAD / VIP / FPG / FPR,	Palfinger Schat-Harding
	(PORTAAL)KRANEN/COLOM / ANKERDAVIT BREDEMEIER / BRIDGE / CASSETTE SYSTEM / CC /	Schat-narung
er i s Bren	CONT/KRAAN / CP / CT / CTB / DAVIT / DCP / DDP / DE/LC / DERRICK / DP12 / DPR / DRL / DROP SIMULATOR / DT / ELC /	
	EP / EP / FB / FBC / FDA / FDAR / FENDERDAVIT / FF / FFCP / FFDA / FFDP / FFFDA / FFLS / FEND / FFNT / FFSP / FFSS / FR / FRD / FRP / FRSP / FRT / FSP / GANGWAY / GANTRY / GPD / GRA / HA / HAC / HC / HD	
	/ HFB / HFFS / HHA / HLC / HOSE DAV / HP / HP/CT / HPA / NTU / HPSE / HRL / HRLP / H-SBC / HSD / JD / KL / L&W/NTU / LA / LAR / LC / LCB / LD / LDP / SAS / LHA / LLL / LOOPKAT / LT / MEET+DR.DAV / MIRANDA MRT / MOB /	nas Authoi
HONOUR	MOB NEERKLAPBAAR / MP / MRT / MUCKING / ND / NDP / NEERKL / NLT / NP / NP/CT / NPD / NT / JD / L&W / NTC / NTE / NTP / OD/SHD / ODP / PAR / PC / PD / PHA	
	/ PLATF.DAV / PLATFORMDAVIT / PLATFORMS + DAVITS / PPC / PROV.KR / PT / RA / RAFTDAVIT / REH / RP / RSD / SA /	
	SA SLEW / SAB / SAC / SAHL / SAHP / SAL / SAP / SAR / SARL / SAT / SBAP / SBC / SBHC / SC / SD / SDAL / SDAR / SE / SHC / SHD / SLPC / SORMEC CRANE / SP / SPFRB/MOR / SPG / SPHC / SPLC / SPMOB / SPR / SRA / SRL / SRR / SRS / SRW / SSP / ST / STP / STTR / T / SORMEC / TAREER / TAUTWIRE + HEFARMEN /	

- The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



	SPG / SPLC / SP / SPR / GRA / NT / NDP / NTP / HF / / ORD / LAR / LC / SAP / MRD / UDR / UDSP / MP / SAHL / FFD /	
	RESCUE PROV CRANE	
	SPG / GRA / HF / LD / PHA / TP / CR / ORD / SAC / PROD / PONTOON DAVIT / MIRANDA,	
Winch	HD / / HD/HW / HD/EW / HD/HPL / HD/LW / HD/RW / HD/LA/ TW / W / CW / WR / WM, BE / BEK / BH / BA / BO / GH / SEG / SAT / SAR, FM / PEM	
Hook	HD / HP GR / H80M / H86M / LH / RH / FFH / FF / KH / LHR, ARH / RRH / ARB, Titan / TG / Empress / LCVP / OLH / PR / TRL / ATLAS / SPARTAN / FF / WFF	

Make & Type	Make & Type listing	
Equipment	Type, Series or Range	Manufacture
Lifeboat	GPD / 40-G Model A	Palfinger
Davit	GPD / 40-G Model A	Maesco
Winch	GPD / 40-G Model A	

Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Lifeboat	GES	Palfinger
Davit	GES	Schat-Harding (George Eide)
Winch	GES	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- 2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Make & Type listing		
Equipment	Type, Series or Range	Manufacture
Lifeboat	NTL / LBT / LBF / FRB / RRB	Palfinger
Davit	NPD / NPDL / NRD / NRDS / NPDS / MOB / DR / NPWD / NTDS / NTD	Noreq

Make & Type	listing	ine Banamas	
Equipment	Type, Series or Range	Manufacture	
Lifeboat	RSQ / FRSQ / PB	Palfinger FRSQ	
Lifeboat	RIBO	Palfinger Zodiac	

Make & Type	Make & Type listing	
Equipment	Type, Series or Range	Manufacture
Lifeboat	JY-QFP/N-5.0/JY-QFP/N-5.25/GTR57JYC/F/JY-QFP/N-6.0A, JY-QFP/N-6.50/JY-QFP/N-7.0/JY-QFP/N-7.5/JY-QFP/N-7.50A, JY-QFP/N-8.00/JY-QFP/N-8.50/JY-QFP/N-8.50X, JY-OFP/N-9.35/JY-QFP/N-10.90A,	Jiangsu Jiaoyan Marine Equipment Co Ltd

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



	GJ4.2/GJ4.25/GJ4.5/GJ5.0/GJ5.25/GJ6.0B-1/GJ6.10, GJ7.50/GJ8.0Q-2/GJ8.5Q-2, JY-FN-4.9/JY-FF-4.9/JY-FN- 5.8/JY-FF-5.8, JYM-FN-6.65/JYM-FF-6.65/JY-FN-6.8/JY- FF-6.8, JY-FN-7.5/JY-FF-7.5/JY-FN-8.5/JY-FF-8.5	(Jiangyin Xinjiang F.R.P.Co. Ltd)
Davit	JYP65/JYP85/JYP105/JYP135, JYR21/JYRC21/JYR14/JYRH14/JYRH21, JYL52/JYL55/JYL65/JYL85/JYL105/JYL135, JYF55/JYF75/JYF90	
Winch	JYW42/JYW50/JYW70/JYW100/JYWP70/JYWP100/JYWP1 35	
Hook	JX Series, JXN Series	

The Bahamas

Make & Type	Type listing	
Equipment	Type, Series or Range	Manufacture
Lifeboat	YH5.0/YH6.5/YH8.5/YH10.3/YH9.5/YH12/YH12.5/YH9.9, YH4.5,YH6.0/YH6.5, YH5.9/YH6.7/YH7.5/YH8.5	Zhenjiang Marine Auxiliary Machinery Works
Davit	FH55/FH70/FH75/FH85/FH100, PL65/PL85/PL100/PL110/PL138,LE55/LE65/LE85/LE100/ LE138/LE170/HE65/HE85/HE100, SAF14/SAFC21/SAFC25/SA32/HDCL2-6.5/HDCL3-6/ HDCL3-10, LFR30/LFR35/LFRH30	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- 2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



quipment	Type, Series or Range	Manufacture
ifeboat	JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA, JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F, JY70P, JY80P, JY85P, JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K, JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR, JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF	Jiangyin Wolong F.R.P Boat Co., Ltd
Pavit ANNI WILLIAMES	JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215, JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23/16, JY-HSR33/23, JY-FCR2066, JY-FCR2305, JY-TBD 120, JY-TBD 215, JY-TBD35, JY-LE65, JY-LE85, JY-LE100, JY-LE150, JY-GYE70, JY-GE120, JYE185, JY-GL70, JY-GL95, JY-GL120, JY-GL185, JY-PLR21, JY-LFR27, JY-LRHE30, JY-LRHE70, JY-LFR35, JY-SAP14, JY-SAP30, JY-HE70, JY-HE95, JY-HE120, JY-HE155, JY-FH55, JY-FH70, JY-FH90, JY-FH155	nas Author
Vinch	JY-SAP14, JY-D23Z, JY-D23/16Z, JY-SAFC23, JY-D33/23Z, JY-SAF33,	1011101
BONOUR	JY-LRHE30, JY-PLR21, JY-LFR27, JY-LRHE70, JY-D50S/Z, JY-D70S/Z,	
	JY-D85S/Z, JY-D110S/Z, JY-DW125S, JY-DP110S/Z, JY-DP150/Z,	
	JY-DP185, JY-DP215	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- 2. Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



Equipment	Type, Series or Range	Manufacture
Lifeboat	GMR 5.9, TGMR 5.9, GMR 6.5, TGMR 6.5, GMR 7.4, TGMR 7.4, GMR 8.3, TGMR 8.3, CLR-C 5.9, CLR-T: 5.9, CLR-C 6.4, CLR-T 6.4, CLR-C 7.6, CLR-T 7.6, CLR-C 8.1, CLR-T 8.1, CLR-C 8.5, CLR-T 8.5, CL-C 8.9, CL-T: 8.9, CL-C 9.4, CL-T 9.4, CL-C 9.8, CL-T 9.8. CL-C 10.2, CL-T 10.2, CL-C 10.7, CL-T: 10.7, CL-C 11.1, CL-T 11.1, CL-C 11.5, CL-T 11.5, CL-C 11.9, CL-T 11.9, CL-C 12.4, CL-T 12.4, CL-C 12.8, CL-T 12.8, CL-C 13.2, CL-T 13.2, CLX 8.5, CLX 10.0, CLX 11.7, CLX 12.8, CFL 4.9, CFL-T 4.9, GAR 6.0, GAR-T 6.0, GAR6.8, GAR-T 6.8, GAR 6.7, GAT-T 6.7, GAR7.4, GAR-T 7.4, GAR 8.1, GAR-T 8.1, GAR7.7, GAR-T 7.7, GAR 8.5, GAR-T 8.5, CFL-C66, CFL-T 66, CFL-C 72, CFL-T 72, CFL-C77, CFL-T 77, CFL-C 83, CFL-T 83, CL-P 5.8, CL-P 6.4, CL-P 6.8, CL-P 7.2, CL-P 7.6, CL-P 8.1, CL-P 8.5, CL-P 8.9, CL-P 9.4, CL-P 9.8, CL-P 10.2, CL-P 10.7, CL-P 11.1, CL-P 11.5, CL-P 11.9, CL-P 12.4, CL-P 12.8, CL-P 13.2, SEL 8.15, SEL 8.8, SEL 9.6, SEL 10.5, SEL 10.55, SEL 11.8, SEL 12.5, SEL-R 8.15, SEL 15.75, SEL-T 10.75, TL LIMO 1100, SEL-T 11.0, SEL-T 11.7, SEL-T 12.3, SEL-T 14.0, SEL-T 14.7, SEL-T 15.75, PLL 1099, PLT-EVO 170, SEL-RT 7.7, SEL-RT 7.5, SEL-RT 8.5, SE L11.0(-T), SEL-R 7.4, SEL-R 8.5, SFB 10.1, RR 4.2, RR 4.2-M, RR 4.5ID, RIR625ID, FR(1)R 6.1, FR(1)R 6.1 ID, FRR 6.2 ID, FRR 6.5 ID-SF, FRR 6.6 ID, FRR 7.0 ID-SF, FRIR 6.25, FRR 7.0	Fassmer
Davit	FHD 80, FHD 100, FHD 120, FHD 130, FHD 150, FHD 170, FHD 172, FHD 280, FHD 450, FHDY 100, FFH 45, FFH 65, FPD 55, FPD 100, FPD 80, FPD 120, FPD 150, FPD 170, FFD D60, FFH 49, FFH 50, FFH 60, FFH 66, FFH 70, FFH 72, FFH 75, FFH 77, FFH 80, FFH 83, FFH 85, FFH 90, FLR 49, FLR 66, LFR 8005, FLR 8006, FLR 8007, FMPD 100, FMPD 130, FMPD 150, FMPD 160, FOD 100, FOD 120, FOD 130, FOD 150, FOD 170, FOD 190, FOD 40R, FOD 50, FOD 80, FOD LBC 300, FOD SAR 40, FOD-R 22, FOD-R 23, FOD-R 25, FOD-R 40, FOD TC	

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation



	450, FOSV 71, FSAH 22, FSAH 28, FSAH 32, FSAR 14, FSAR 21, FSAR 28, FSAR 40, FSARR 14/3.5HS, FSARR 22/4.0HS-M, PRHE 30,
Winch	DEW 40 , DEW 85, DEW 2000, DEW 8, FWD 40 RB
Hook	FFRU 6.6, FOH 27, FOH 30, FOH 70, Duplex 25E2, Duplex 2.5E, Duplex 50E2, Duplex 5.0E, Duplex 60E2, Duplex 6.6E, Duplex 10E, Duplex 14E2, Duplex 14E, Duplex 17E, Duplex 180E2, Duplex 230E2, Duplex 23E



The Bahamas Maritime Authority

- 1. The equipment listed above should be understood as:
 - a. Lifeboat: Any lifeboat type including but not limited to Freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat type, fast rescue boat, inboard or outboard engines, propeller or jet drives.
 - b. Davit: Any Davit type including but not limited to davit launched life-raft, secondary means of deployment and Rescue boat Davit.
 - c. Hook: Any Hook release gear such as but not limited to onload/ offload, freefall hydraulic, rescue and fast rescue boat release gears.
 - d. Winch: Any which types including but not limited to Single/Twin drum, hydraulic and electric.
- Some equipment might be not identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company
 name. if evidence has been provided to the satisfaction of the attending RO's surveyor, to justify the equipment list deviation from this Annex, this will be considered
 deemed acceptable by this Administration.
- 3. When a subcontractor is acting as an independent company on behalf of a BASP, the attending subcontractor shall be listed and included on the original BASP Certificate of Authorisation