

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	DRM, DRBD, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD, HDL, BHR, FF, HDFL, HDF, BDF, BDFD, BDR, BDH, BDA, BDFA, BDL, BDR, BLR, BHI	BADA HI
Winch	DRM, DRBW, HLDF, BAW, BDF, BDFD, HDFL, HDF, BHI, BLR, BLW, BMW, BRW, BWL, BWR, FHW	
Release Gear	BDR, BHA, BHR	
Launching Appliances	C-F, C-S, D-F, D-TF, D-FH/FG, D-RT, D-FO, D-NP, D-NP.MP, D-NP.SP, D-BC, D-BR, D-CL, D-CR, D-NPS.SP, D-SR, D-RC, D-RB, C-L, C-DRm.FR, D-CRm.MOR, D-CRm.R.FR, D-NPS.FR, D-NP.MP, D-NP.SP, D-NPS.MP, D-WP, D-FP, D-ND, D-TT, D-RTT	DAVIT INTERNATIONAL
Release Gear	RH, OLH, ORLH	
Launching Appliances	DWS, LRDS, RBDS	DONG WOO MACHINERY
Survival Crafts	DBS, DSB-R, DSB-RA-RB	
Launching Appliances	DSB-DL, DSB-DW, DSB-DYL, DSB-DF, DSB-DR, DSB-ARH, DSB-HW	DSB ENGINEERING
Winch	DSB-DR, DSB-ARH, DSB-DW, DSB-HW, DSB-DL,	
Release Gear	NPT	
Survival Crafts	GMR, TGMR, CLR-C, CLR-T, CL-C, CL-T, CLX, CFL, CFL-T, GAR, GAR-T, CFL.-C, CL-P, SEL, SEL-T, SEL-R, TL LIMO, PLL, PLT EVO, SEL-RT, RR, RIR, FRIR, FRR, SFB, DRAGON, GMR, GMR-T, CLR-C, CLR-T, GAR, GAR-T, CFL-C, CFL-T, HH	FASSMER
Launching Appliances	FHD, FHDY, FFH, FPD, FLR, FMPD, FOD, FOSV, FSAH, FSAR, FSARR, PRHE, SRH	
Winch	DEW, FWD, FFWH, D, MW, FW, RZ	
Release Gear	FFRU, FOH, DUPLEX, HH, SINGLE TYPE 5.1, FM53	GEPA
Survival Crafts	G-FFF, G-F, G-GSB, G-RB, G-FRB	
Release Gear	G-K	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	FHS, RMS, RHS, RHP, RHT, RSP, GLP, LMS, LHS, LHT, LGP	GLOBAL DAVIT
Winch	W	
Release Gear	HRN, HRL	
Survival Crafts	RB, GFF, GSAR, GSL, RB AB, RB AB DUPLEX, RB AB FH, RB IB, RB/FRB AB FH	HATECKE
Launching Appliances	FFA, Gsp.FP, FFB, Gsp.FLH, Gsp.O, W	
Release Gear	DUPLEX, GFF-R, SIMPLEX, RAFTI	
Survival Crafts	HD, HT, HDL, HLB, HDF, HDFL, HDFN, HDR, HDRF, HLB-NM-CF, HLB-NM-FCF, HLB-NM-R	HYUNDAI
Release Gear	TALON, THP, TITAN, HK, FHK	
Survival Crafts	HS, SO, SM, FO, FM	
Launching Appliances	H, T, TC	IKNOW
Winch	EB, TC, OAP	
Survival Crafts	GF, GT, GTR, GTC, S, G, MU-FN, MU-FF, MU-GJ	
Launching Appliances	MUL, MUF, MUR	JAPAN MARINE UNITED (JMU)
Winch	MUW	
Release Gear	JX	
Survival Crafts	JY-FN, JY-FF, JYM-FN, JYM-FF, GJ, JY-QFP/N	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Launching Appliances	JYL, JYF, JYP, JYR, JYRC, JYRH	
Winch	FW, JYW, JYWP, JYRZ	
Release Gear	JX, JXN	JIANGYINSHI BEIHAI
Survival Crafts	JYB, SC	
Launching Appliances	SMRF, BGP, GLR, BHSA, LBS, SM, SA, SAC, FA, LA, LB, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD	
Winch	D, DW, HW, JUBW, FFW, BHEW	JIANGYINSHI BEIHAI
Release Gear	JYBHK	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	JY	JIANGYIN WOLONG
Launching Appliances	JY-LE, JY-FH, JY-PL, JY-SAF, JY-SA, JY-SR, JY-HSR, JY-FCR, JY-PLR, JY-LFR, JY-LRHE, JY-SAP, JY-HE, JY-TBD, JY-GYE, JY-GL	
Winch	JY-D, JY-DP, JY-SAP, JY-SAFC, JY-SAF, JY-LHRE, JY-PLR, JY-LFR, JY-LRHE, JY-DW	
Release Gear	HK, FHK, LB	
Survival Crafts	LAF	KYORITSU KIKAI
Launching Appliances	DBZ	
Release Gear	LAR	LALIZAS
Launching Appliances	EBD, EM, ABD, AH, AT, AV, EH, ET, EV, M, CM, D-FH, DE-FH, MFE, MFH, SR, SRE, R, S, RD, EHR, SP, MVD, GRA, SAR	MANSEI (MIURA)
Winch	EBW, ABW, AW, EW, MW, CMW, 06, FW, SW, RMW, MLW, ERW, BH, BE, BA	
Release Gear	RH	
Survival Crafts	G, ML, F, NF, PML, EML, CML, DML, FF,	NISHI-F
Release Gear	IHM, NS, SR	
Launching Appliances	HGD, HGK, SHS, RTD, DHA, DMA, FD, RD, WL, RDW	ORIENTAL
Winch	BWE, SWE, WL, RD, RDW, FD	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	RB, FRB, TECB, FRSQ, PB, RSQ, CRV, CTL, FF, RRB, JYF, KISS, LBF, LBP, MCB, ML, MPC, STINGER, PELB, PERB, PTL, TELB, MS, MC, MCA, MCD, MCF, MCH, MCM, MCO, MCR, WFF, PE, CR, FM, MK I, MK V, OPEN, MHW, MKIV, MKV, EL, OPEN, TENDER, HRL	PALFINGER (SCHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SCHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR, SEC, NORMAR)
Launching Appliances	DC, DR, HSC, MOB, FRD, GDP, GP, RTD, SAH, SAR, BW, FAD, JYHG, JYL, JYLR, JYP, JYR, LA, LAR, MOB, NPD, NPDL, NPDS, NPDW, NRD, NRDS, NTD, NTDS, PD, RA, VIP, 20, 22, 24, 26, 28, 30, B, FR, GPD, GR, S, SPD, SPR, FPG, FPR, GRT, GT, HOTT, HPLG, LPLG, PBR, PFH, PLG, PRH, PRHE, PRHH, SCD, SCH, SCHD, SCHF, SCM, SCMF, SFD, SP, SWTC, TOC, NPDT, HCT, FPR-H, SCMLP, SCMT, SCR, FR.P.SP, HD, HDW, HPL, HRD, NDP, NT, PAR, SPLC, SPMOB, SRR, UDR, UDSP, BRIDGE, DDP, FDA, FDAR, FFDA, FFDP, FFLS, FFND, FFNT, FFSS, HFFS, HHA, HP, LT, MP, ND, NTP, SAHL, SAHP, SAP, SAT, SDAL, SDAR, SHD, SPHC, SRL, ST, STP, UDS(H), UDFA, VEHCL, FFD, LD, ORD, MRT, MRD, WOD, WP, WRG, GD, GAN, GP, GPD, HAS, MIR, HT, OF, SUEZ	
Winch	KNT, DEW, GEHL, CCW, CW, JYFW, JYW, NW, 08, HMG, RH, USW, WH, 04-03, 04-04, 15-01, 02, 03, 40, BWF, HWCT, NRW, 15-01, 02, 030, 06, 0-13, 1-13, 2-22, 2-38, BHY, BO, EWPL, FM, FME, RSD, RT, 08EC, 08EM, 08HY, 0-22, 0-38, 08-40, 1-38, 16, 22, 24, 2-58, 3-13, 3-22, 3-38, 3-58, 3-70, 38, GH, TMW, WAR, FME, ES, WL	
Release Gear	ARH, CAR, LH, JX, KH, LHR, RRR, ARB, FF, H, PATENT, ATLAS, EMPRESS, TITAN, SPARTAN, DEVESER, FAB	
Survival Crafts	BH, BH-E, BH-F, BH-R, BH-HR	QINGDAO BEIHAI
Launching Appliances	BD-FF, BD-SA, BD-SH, BD-PV, BD-AR, BD-PL, SA, RBD	
Winch	BW-H(L/R), L(L/R), SC, YSB, INI, BJM	
Release Gear	BG, BH-HOOK, 21KN, 25KN, 35KN, JIMO CS	
Launching Appliances	DLRD, DRLD, DSAD, PV, DCHH, DPR, DNR, DRBD, DSAC, DHG, BSNKJ, HGW, FF, HDF, DSAM, E2M0	SANGSANGIN (ex DONGNAM)
Release Gear	HS	SEZAMOR
Launching Appliances	SH, SFB, SHS, STS, SSS,	SEKIGAHARA SEISAKUSHO

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	SZ, FEL, GARS, VOX, OPEN	SHIGI
Release Gear	SRS, SZK	
Release Gear	PX	T-ISS
Survival Crafts	HH, GJ	WUXI HAIHONG
Release Gear	HH	
Launching Appliances	HML, HMD	WUXI HUAHAI
Winch	HMW, 21KN, 25KN, 32KN	
Survival Crafts	WJB, WJ, BJ,WJJZ	WUXI WENJAO
Release Gear	WJHK, WJ	
Release Gear	15KN, 21KN, 23KN, 25KN, 35KN	WUXI XINGSHENG
Survival Crafts	ALL TYPES	VANGUARD MARINE
Survival Crafts	BCC, BCF, BCFC, BCFF, GJ, FRH, RH	ZHEJIANG HENGXIN SHIP EQUIPMENT
Launching Appliances	FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN	
Winch	DZB, D, DW	
Release Gear	HK	
Survival Crafts	YH	ZHENJIANG MARINE AUXILIARY MACHINERY
Launching Appliances	LE, HE, HI, RE, SRH, GL, TG, TH, HT, LC, FH, SAF, SAFC, SA, HDCL, LA, SH, DH, PL, LFR, LFRH, LEFR, SAWH	
Release Gear	HK, SH, 21KN, 23KN, 25KN, 35KN	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.