

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	DRM, BDH, BDTD, BDHP, BDTW, BDRW, BDM, BFOD, HDFL, HDF, BDF, BDR, BDH, BDA, BDFA, BDL, BDR, BLR, BHI	BADA HI
Winch	DRM, DRBW, BAW, BHI, BLW, BMW, BRW, BWL, BWR, FHW	
Release Gear	BDR, BHA, BHR	
Launching Appliances	C-F, C-S, D-F, D-TF, D-FH/FG, D-RT, D-FO, D-NP, D-NP.MP, D-NP.SP, D-BC, D-BR, D-CL, D-CR, D-NPS.SP, D-SR, D-RC, D-RB, C-L, C-DRm.FR, D-CRm.MOR, D-CRm.R.FR, D-NPS.FR, D-NP.MP, D-NP.SP, D-NPS.MP, D-WP, D-FP, D-ND, D-TT, D-RTT	DAVIT INTERNATIONAL
Release Gear	RH, OLH, ORLH	FASSMER
Survival Crafts	GMR, TGMR, CLR-C, CLR-T, CL-C, CL-T, CLX, CFL, CFL-T, GAR, GAR-T, CFL.-C, CL-P, SEL, SEL-T, SEL-R, TL LIMO, PLL, PLT EVO, SEL-RT, RR, RIR, FRIR, FRR, SFB	
Launching Appliances	FHD, FHDY, FFHFPD, FLR, FMPD, FOD, FOSV, FSAH, FSAR, FSARR, PRHE	
Winch	DEW, FWD, FFWH	
Release Gear	FFRU, FOH, DUPLEX	GLOBAL DAVIT
Launching Appliances	FHS, RMS, RHS, RHP, RHT, RSP, GSP, GLP, LMS, LHS, LHT, LGP	
Winch	W	
Release Gear	HRN, HRL	HATECKE
Survival Crafts	RB, GFF, GSAR, GSL, RB AB, RB AB DUPLEX, RB AB FH, RB IB, RB/FRB AB FH, GSAR	
Launching Appliances	FFA, Gsp.FP, FFB, Gsp.FLH, Gsp.O, W	
Release Gear	DUPLEX, GFF-R, SIMPLEX, RAFTI	HOEI SENPAKU
Survival Crafts	HS, SO, SM, FO, FM	
Survival Crafts	HD, HT, HDL, HLB, HDF, HDFL, HDFN, HDR, HDFR	HYUNDAI
Release Gear	TALON, THP	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	GF, GT, GTR, GTC, S, G, MU-FN, MU-FF, MU-GJ	JAPAN MARINE UNITED (JMU)
Launching Appliances	MUL, MUF, MUR	
Winch	MUW	
Release Gear	JX	
Survival Crafts	JY-FN, JY-FF, JYM-FN, JYM-FF, GJ, JY-QFP/N	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Launching Appliances	JYL, JYF, JYP, JYR, JYRC, JYRH	
Winch	FW, JYW, JYWP, JYRZ	
Release Gear	JX, JXN	
Survival Crafts	JYB, SC	JIANGYINSHI BEIHAI
Launching Appliances	SA, SAC, FA, LA, LB, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD, SM	
Winch	D, DW, HW, JYBW, FFW	
Release Gear	JYBHK	
Survival Crafts	JY	JIANGYIN WOLONG
Launching Appliances	JY-LE, JY-FH, JY-PL, JY-SAF, JY-SA, JY-SR, JY-HSR, JY-FCR, JY-PLR, JY-LFR, JY-LRHE, JY-SAP, JY-HE, JY-TBD, JY-GYE, JY-GL	
Winch	JY—SAP, JY-D, JY-SAF, JY-LRHE, JY-PLR, JY-LFR, JY-LRHE, JY-DW, JY-DP	
Release Gear		
Launching Appliances	H, T, TC	IKNOW (TSUJI)
Winch	EB, TC, OAP	
Launching Appliances	LAF, DBZ	KYORITSU KIKAI
Launching Appliances	EBD, EM, ABD, AH, AT, AV, EH, ET, EV, M, CM, D-FH, DE-FH, MFE, MFH, SR, SRE, R, S, RD, EHR, SP, MVD, GRA, SAR	MANSEI (MIURA)
Winch	EBW, ABW, AW, EW, MW, CMW, 06, FW, SW, RMW, MLW, ERW, BH, BE, BA	
Release Gear	RH	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	YZ	NINGBO ASIA BOAT
Launching Appliances	L, LE, ZF, DZ, B, YZ, YXF	
Winch	DS, DZ, YZDD	
Survival Crafts	G, ML, F	NISHI-F
Release Gear	IHM, NS, SR, FF	
Launching Appliances	HGD, HGK, SHS, RTD, DHA, DMA, FD, RD, WL, RDW	ORIENTAL
Winch	BWE, SWE, WL, RD, RDW, FD	
Survival Crafts	RB, FRB, TECB, FRSQ, PB, RSQ, CRV, CTL, FF, RRB, JYF, KISS, LBF, LBP, MCB, ML, MPC, STINGER, PELB, PERB, PTL, TELB, MS, MC, MCA, MCD, MCF, MCH, MCM, MCO, MCR, WFF, PE, CR, FM, MK I, MK V, OPEN, MHW, MKIV, MKV, EL, OPEN, TENDER, HRL	PALFINGER (SCHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SCHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR, SEC, NORMAR)
Launching Appliances	DC, DR, HSC, MOB, FRD, GDP, GP, RTD, SAH, SAR, BW, FAD, JYHG, JYL, JYLR, JYP, JYR, LA, LAR, MOB, NPD, NPDL, NPDS, NPDW, NRD, NRDS, NTD, NTDS, PD, RA, VIP, 20, 22, 24, 26, 28, 30, B, FR, GPD, GR, S, SPD, SPR, FPG, FPR, GRT, GT, HOTT, HPLG, LPLG, PBR, PFH, PLG, PRH, PRHE, PRHH, SCD, SCH, SCHD, SCHF, SCM, SCMF, SFD, SP, SWTC, TOC, NPDT, HCT, FPR-H, SCMLP, SCMT, SCR, FR.P.SP, HD, HDW, HPL, HRD, NDP, NT, PAR, SPLC, SPMOB, SRR, UDR, UDSP, BRIDGE, DDP, FDA, FDAR, FFDA, FFDP, FFLS, FFND, FFNT, FFSS, HFFS, HHA, HP, LT, MP, ND, NTP, SAHL, SAHP, SAP, SAT, SDAL, SDAR, SHD, SPHC, SRL, ST, STP, UDS(H), UDFA, VEHCL, FFD, LD, ORD, MRT, MRD, WOD, WP, WRG, GD, GAN, GP, GPD, HAS, MIR, HT, OF, SUEZ	
Winch	KNT, DEW, GEHL, CCW, CW, JYFW, JYW, NW, 08, HMG, RH, USW, WH, 04-03, 04-04, 15-01, 02, 03, 40, BWF, HWCT, NRW, 15-01, 02, 030, 06, 0-13, 1-13, 2-22, 2-38, BHY, BO, EWPL, FM, FME, RSD, RT, 08EC, 08EM, 08HY, 0-22, 0-38, 08-40, 1-38, 16, 22, 24, 2-58, 3-13, 3-22, 3-38, 3-58, 3-70, 38, GH, TMW, WAR, FME, ES, WL	
Release Gear	ARH, CAR, LH, JX, KH, LHR, RRH, ARB, FF, H, PATENT, ATLAS, EMPRESS, TITAN, SPARTAN, DEVESER, FAB	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. In such cases when evidence is provided to the attending RO's surveyor, this can be automatically accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	BH, BH-F, BH-R	QINGDAO BEIHAI
Launching Appliances	BD-PV, BD-SA, BD-FF, BD-SH	
Winch	BW-H(L/R), L(L/R), SC	
Release Gear	BG, BH-HOOK, FS, 15KN, 25KN, 35KN	
Launching Appliances	DHG, HGW, DHGD, DLRD, DRLD, DSAD, PV, DCHH, DPR, DNR, DRBD, DSAC, BSNKJ, FF, HDF, DSAM	SANGSANGIN (EX DONGNAM)
Launching Appliances	SH, SHS, STS, SSS, SFS, SFA, SFB, SFC, SFD, SJS, SJR	SEKIGAHARA SEISAKUSHO
Release Gear	HS	SEZAMOR
Survival Crafts	FEL, VOX, GARS, OPEN	SHIGI
Release Gear	SRS, SZK	
Release Gear	PX	
Survival Crafts	TL, KL	TSUNEISHI FACILITIES
Release Gear	43GS-1 (A,B ,C ,D)	
Survival Crafts	VG, VG-FF/FC, KR, DB, DRS, DR, HLB, HL, HLR, FRL, FRW	VANGUARD
Launching Appliances	LVD, PL, A, PLR, SRH, LR, VAE, VAH, VL, VL-G, VS, VF, HSD	
Winch	DW-D, DW-S, SLR, DWP, HW, PRH, VW-S, VW-Z	
Release Gear	C-SAFE, SPEARHEAD, HK, SHF	
Survival Crafts	HH, GJ	WUXI HAI HONG
Survival Crafts	HH	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	GRAVITY LUFFING ARM DAVIT: 18kN/25kN/40kN/50kN/60kN/60kN(60L)/85kN/110kN/T2.5/ Sk50 GRAVITY SLIDING TRACK DAVIT: 25kN/30kN FREE-FALL LIFEBOAT LAUNCHING APPLIANCE: F55/F70/NPT100F RESCUE BOAT/LIFERAFTS LAUNCHING APPLIANCE: 21kN(manual)/21kN(Electrical)/21kN(Electrical / hydraulic)/25kN(Electrical / hydraulic)/35kN(Electrical / hydraulic)/DWC210 RESCUE BOATS LAUNCHING APPLIANCES: A30/H35	WUXI DONGWU MARINE EQUIPMENT CO. LTD
Winch	DS*ZY25/DS*ZY40/D50S/DS*ZY63/D63S/80kN DZY/Z21/DZ*ZY25/DZ*ZY40/D50Z/DZ*ZY63/D63Z/80kN	
Survival Crafts	YH	
Launching Appliances	LE, HE, FH, SAF, SAFC, SA, HDCL, PL, LFR	ZHENJIANG MARINE AUXILIARY MACHINERY
Survival Crafts	BCC, BCF, BCFC, BCFF, GJ, FRH, RH	
Launching Appliances	FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN	ZHEJIANG HENGXIN SHIP EQUIPMENT
Winch	DBZ, D, DW	
Release Gear	HK	
Launching Appliances	WME-SAD, WME-LR, WME-LRH, WME-MGD, WME-HTD	ZHENJIANG WEST MARINE EQUIPMENT
Winch	WME-SAD, WME-LR, WME-LRH, WME-MGD, WME-HTD	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.