

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching appliances	GRA	ACEBI
Winch	TBE	
Survival Craft	FRB	AQUA SAFETY
Launching Appliances	AHA, AREH	ARIM MACHINERY & ENG CO
Winch	ABW, ELB	
Survival Craft	FRB	ARK SAFETY
Survival Craft	FRB, MASSMAR	ASTRA MARINE
Launching Appliances	KD, MDE	AUKRA MARITIME
Launching Appliances	BDF, BDH, BDR, RLD, FF	BADA HI
Winch	BWL, EHW, BWR	
Release Gear	U-HOOK	BIANCHI & CECCHI
Release Gear	APR	CRANSTON EAGLE
Launching Appliances	GRAVITY LUFFING	DAI JIN
Winch	DDW	
Launching Appliances	D-CRC, D-CRH.R, D-CRM.FR, D-CRM.R, D-CRR, D-FH, D-NP, D-NP.MP, D-RC, D-RT, D-TF	DAVIT INTERNATIONAL
Winch	02, 03, 04, 06, 12, 18, 21	
Release Gear	RH, OLRH	
Survival Crafts	10 BF	ESVAGT RESCUE

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Survival Crafts	SEL, OPEN, FRIR, FRR, RR, DRAGON	FASSMER
Launching appliances	FPD	
Winch	DEW	
Release Gear	DUPLEX, OFF-LOAD	FAMA
Launching appliances	ZL, ZO	
Survival Crafts	G-FFF, G-RB/FRB	
Release Gear	G-K	GEPA
Launching Appliances	FHS, GSP, LMS, RHS, RMS	GLOBAL DAVIT
Winch	W	
Release Gear	HR, HRL, HRN	
Launching appliances	HFF	GREBEN
Launching Appliances	GD-RR, GD-FFD, GD-RRS, GD-KHK	GÜRDESAN
Winch	GD-FLW	
Survival Crafts	GFF, GSL, PEL, RB/FRB, TGR	HATECKE
Launching appliances	FFA, FFB, DFR, GSP	
Winch	W	
Release Gear	DUPLEX, SIMPLEX	HENRIKSEN
Release Gear	HCH, HMK, HLH, HRH	
Survival Crafts	HDFL, HDFN, HDL, HLB, HDR, HT	HYUNDAI
Release Gear	TALON, THP	
Launching Appliance	OMEGA	HYDROMEGA

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliance	H	IKNOW (TSUJI)
Winch	EB	
Winch	IYJ	INI HYDRAULIC CO. LTD
Survival craft	JY-FF, JY-FN, JY-QFN, JY-QFP, JYM-FN, GJ	JIANGSU JIAOYAN (JIANGYIN XINJIANG)
Launching appliances	JYF, JYH, JYHG, JYR, JYRH	
Winch	JYH, JYW	
Release gear	JX, JXN	
Survival crafts	NPT-FF, NPT-R/RB	JIANGYIN NEPTUNE
Launching appliances	NPT, DF	
Release gear	HK	
Survival craft	JY-C, JY-F, JY-FF, JY-KR	JIANGYIN WOLONG
Launching appliances	JY-FH, JY-LE	
Winch	JY-FH JY-LE	
Release gear	HK	
Release gear	LSA-H	LSA SERVICE
Launching appliances	HMD, HMC	MACGREGOR (HYDRAMARINE)
Winch	HMW, D	
Launching appliances	M, SR	MANSEI (MIURA)
Winch	MW, CMW, SW	
Release gear	RH	
Survival Craft	ALUSAFE, WEEDO	MARITIME PARTNER

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching Appliances	BOS, RD, SDP	NORDAVIT
Winch	E	
Launching appliances	BPK, KD	NMF
Launching appliances	HGD, RDS	ORIENTAL
Winch	BWE, RDW	
Survival crafts	FF, KISS, MS, MCB, MCBR, MPC, PELB, TECB, TELB, FRSQ, MOB, R, RR, RSQ OPEN	PALFINGER (SCHAT-HARDING, HARDING, WATERCRAFT, MULDER & RIJKE, NOREQ, WATERMAN, FISKARS, NDM, NED-DECK, SCHAT DAVITS, DAVIT COMPANY, MILLS, ACTA, LAR, SEC, NORMAR)
Launching appliances	06, DR, DRT, FFB, HD, HFFS, HOTT, HSC, LA, LAR, NPD, NPDS, NT, PFH, PRH, SA, SCH, SCM, SPLC, SPMOB, SPR, SRR, ST, VIP	
Winch	0.13, 04, 08, 12-09, 1-22, 16EV, 16KNT, 30KNT, 33KNT, 3-13, BE, EW, FME, HD, LW, HW, NPW, W, WP, 21-01, 2-22,	
Release gear	ARH, CAR, FFH, H-86, KH, LHR, RRH, OFF-LOAD	
Survival crafts	BSL, BR	PESBO
Release gear	FF	
Launching appliances	GRA	PELLEGRINI
Winch	VAS	
Survival crafts	BH	QINGDAO BEIHAI
Launching appliances	BD-SA	
Release gear	BG	
Launching appliances	RDA	RED ROCK MARINE AS
Launching appliances	DSAD, DLB	SANGSANGIN (ex DONGNAM)
Winch	DSAD, DWR, HLW	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching appliances	ZZ-ZOL, ZZ-ZOT	SEZAMOR
Winch	WL, WT	
Release gear	HL	
Launching Appliance	SFT	SHEYANG SAIFUTE
Winch	EL. LIFEBOAT & RESCUE BOAT WINCH, EL. LIFEBOAT WINCH	
Survival crafts	FEL SZ, VOX	SHIGI
Release gear	SRS, SZK, WP	
Survival Craft	IRB, FRB, RIBO	SURVITEC (DSB)
Release gear	SAFELAUNCH, SLA	
Release gear	ILR	
Launching appliances	HL, HLT	TTS MARINE (HYDRALIFT)
Survival crafts	LRT, P	USTKA STOCZNIA
Release gear	OFF-LOAD	
Survival crafts	VG	VANGUARD (JIANGYIN VANGUARD)
Launching appliances	VL, VL-G	
Winch	DW	
Release gear	CSAFE	
Survival crafts	GES, JYN, MAGGIE, MATHILDA, MAUD, MAXIMA, MAYA, MINIMA, MIRIAM, MIDGET, MAKO, MAGNUM, MATRIX, MERKIN, 470 GRP	VIKING-NORSAFE (JIANGYIN, JORGENSEN & VIK, WATERCRAFT HELLAS)
Launching appliances	E, HD, LH, LHD, NDA, NDC, NDSC, NRB, NRC, NRC-S, SD	
Release gear	1.6, 1.8, DIB, FHK, HRS, K4, NFFH, TOR, TOR-MK2, HYDRAULIC JACKS	

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onboard/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.

Make and Type Listing:

Equipment	Type, Series or Range	Manufacture
Launching appliances	ALL MODELS	WELIN
Winch	ALL MODELS	
Release Gear	ALL MODELS	
Survival crafts	HH	WUXI HAIHONG
Release gear	HH	
Winch	HMD	WUXI HUAHAI
Release gear	21-25KN, 31-27KN, 15KN	WUXI MINGZI MACHINERY MANUFACTURING CO. LTD
Release gear	XS	WUXI XINSHENG
Survival crafts	BCC	ZHEJIANG HENGXIN SHIP EQUIPMENT
Launching appliances	FH, LE, SAF	
Winch	D, DW, DS, DZ, HMD	
Release gear	HK	
Winch	ZR, ZH, ZP	ZOLLERN

- The equipment listed above should be understood as:
Survival craft: any lifeboat type including but not limited to freefall lifeboat, totally or partially enclosed LB, fitted with or without sprinkler/deluge system, fitted with or without an air cylinder, tender boat, rescue boat, inboard or outboard engines, propeller, or jet drives.
Launching appliances: any davit type system including but not limited to davit launched life-raft, secondary means of deployment and rescue boat davit.
Release gear: any hook release gear such as but not limited to onload/offload, freefall hydraulic, rescue and fast rescue boat release gear.
Winch: any which types including but not limited to single/twin drum, hydraulic and electric.
- Some equipment might be not clearly identified as unique equipment type/range and might be part of the same skid unit assembly or rebranded under a new parent company name. in such cases when evidence is provided to the attending RO's surveyor, this can be automatically be accepted by the attending surveyor without consulting the BMA.
- When a sub-contractor is acting as an independent company on behalf of a BASP, the attending sub-contractor is to be listed and included in the original BASP certificate of Authorisation.